

I CLAIM:

1. A pair of eyeglasses comprising:

5 a curved one-piece lens member having opposite front and rear faces, upper and lower ends, and opposite left and right sides interconnecting said upper and lower ends, said lens member being formed with an arcuate groove that extends between said left and right sides, that is disposed adjacent to said upper end, that is indented inwardly from said front face, and that has two opposite end portions, said lens member being further formed with left and right passages that are respectively disposed rearwardly and are that respectively aligned with said end portions of said arcuate groove, a left retention hole that is disposed between said left passage and said left side of said lens member, and a right retention hole that is disposed between said right passage and said right side of said lens member; and

10 20 a temple unit including an elongated curved connecting member that has two end segments and an intermediate segment extending between and interconnecting said end segments, and a pair of temples respectively hinged to said end segments, each of said end segments of said connecting member being formed with an engaging tongues that projects frontwardly therefrom, said end segments of said

15 25

connecting member extending rearwardly through said end portions of said arcuate groove and said left and right passages in said lens member, respectively, so as to place said intermediate segment in said arcuate groove in said lens member, said engaging tongues of said end segments projecting frontwardly into and engaging said retention holes in said lens member, respectively.

2. The eyeglasses as defined in Claim 1, wherein said arcuate groove is defined by a groove-defining wall that includes left and right wall portions, upper and lower wall portions interconnecting said left and right wall portions, respectively, and a rear wall portion which interconnects said upper and lower wall portions, and which defines a rear side of said arcuate groove, each of said end segments of said connecting member having a thickness less than that of said intermediate segment of said connecting member such that a respective one of said end segments and said intermediate segment cooperatively define a shoulder therebetween, said shoulder having an abutment face that abuts against a respective one of said left and right wall portions of said groove-defining wall.

3. The eyeglasses as defined in Claim 2, wherein said intermediate segment of said connecting member has a front face that is generally flush with said front

face of said lens member.